

TCMC

固定容量輪葉泵浦

FIXED DISP. VANE PUMPS

DS-11P, DS-12P, DS-13P, DS-14P SERIES



特點：


- 此系列泵浦是重量輕、流量大、體積小，適用於工作機械、專用機械，經濟實用。
- 壓力調整由低壓到高壓，脈動穩定、效率高。
- 高速迴轉使用不易生熱、磨耗低。
- 採用CAM RING 吐出壓力，脈動小、流量穩定。
- 吸入阻抗低，原出油口配管位置與入油口配管有同方向與90度方向兩種選擇。
- 噪音值低。

FEATURES:

- This series of vane pumps are light, huge flow capacity and compact, suitable to working machine and special purpose machine with economics and practicability.
- The pressure adjustment from low to high is stable and efficient.
- High speed running cause low temperature and wear.
- Using CAM RING to offer pressure with low vibration and stable flow capacity.
- Low suction resistance. There are two options for oil outlet oil and inlet with both parallel and right angle (90 degrees).
- Low noise caused.

訂購索引

ORDERING INDEX






規格

SPECIFICATIONS

型式 Model	容 積 Displacement capacity (cm ³ /rev)	最高壓力範圍 Max. pressure range (kgf/cm ² (psi))	速度(迴轉數/分) Speed (rpm)		重量 Rated speed (kgs)
			最高 Max.	最低 Min.	
DS-11P	3	70 kgf/cm ² (1000 psi)	1800	600	3000
DS-12P	5				
DS-13P	7				
DS-14P	12				

■ 尺寸圖 DIMENSIONS

DS-11P



100

100

分解圖 / DISASSEMBLY FIG:

